









SCALE 1:200





SCALE 1:200

	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None		
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released		
	BEND RADIUS UNLESS DEFINED Ri=t		REVISION: 0		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		DESCRIPTION: CT-S-1006 ISO HC		
	GENERAL ROUGHNESS Ra x	DIMENSION: ± x	ANGLE: ± x°	MODEL NUMBER TCA0279	
SCALE: 1:50		UNITS mm	PROJECTION: 	MODIFIED ON: 07-07-2025 MODIFIED BY: AVA MASS: 1248,1 kg	APPROVED ON: 07-08-2025 APPROVED BY: BVB Sheet 1 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					

DRAWING NAME: TCA0279 MODEL VERSION: 0.1





SCALE 1:200





SCALE 1:200

	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None		
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released		
	BEND RADIUS UNLESS DEFINED Ri=t		REVISION: 0		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		DESCRIPTION: CT-S-1006 ISO HC		
	GENERAL ROUGHNESS Ra x	DIMENSION: ±x	ANGLE: ±x°	MODEL NUMBER TCA0279	REVISION: 0
SCALE: 1:50		UNITS mm	PROJECTION: 	MODIFIED ON: 07-07-2025 MODIFIED BY: AVA MASS: 1248,1 kg	APPROVED ON: 07-08-2025 APPROVED BY: BVB Sheet 2 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					





SCALE 1:200





SCALE 1:200

	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None		
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released		
	BEND RADIUS UNLESS DEFINED Ri=t		REVISION: 0		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		DESCRIPTION: CT-S-1006 ISO HC		
	GENERAL ROUGHNESS Ra x	DIMENSION: ± x	ANGLE: ± x°	MODEL NUMBER TCA0279	
SCALE: 1:50		UNITS mm	PROJECTION: 	MODIFIED ON: 07-07-2025 MODIFIED BY: AVA MASS: 1248,1 kg	APPROVED ON: 07-08-2025 APPROVED BY: BVB Sheet 3 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					

DRAWING NAME: TCA0279 MODEL VERSION: 0.1




SCALE 1:200




SCALE 1:200

	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None		
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released		
	BEND RADIUS UNLESS DEFINED Ri=t		REVISION: 0		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		DESCRIPTION: CT-S-1006 ISO HC		
	GENERAL ROUGHNESS Ra x	DIMENSION: ± x	ANGLE: ± x°	MODEL NUMBER TCA0279	
SCALE: 1:50		UNITS mm	PROJECTION: 	MODIFIED ON: 07-07-2025 MODIFIED BY: AVA MASS: 1248,1 kg	APPROVED ON: 07-08-2025 APPROVED BY: BVB Sheet 4 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					

DRAWING NAME: TCA0279 MODEL VERSION: 0.1




ISO containers
Optional end walls



SCALE 1:200

High-Cube containers
Optional end walls



SCALE 1:200

	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None		
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released		
	BEND RADIUS UNLESS DEFINED Ri=t		REVISION: 0		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		DESCRIPTION: CT-S-1006 ISO HC		
GENERAL ROUGHNESS Ra x	DIMENSION: ±x	ANGLE: ±x°	MODEL NUMBER TCA0279	REVISION: 0	
SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 07-07-2025	APPROVED ON: 07-08-2025	
			MODIFIED BY: AVA	APPROVED BY: BVB	
			MASS: 1248,1 kg	Sheet 5 of 5	Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					

DRAWING NAME: TCA0279 MODEL VERSION: 0.1