








SCALE 1:200





SCALE 1:200

KROFTMAN®

LASERCUT ACCORDING: EN-ISO 9013-5-4-1			MATERIAL: See List		
MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)			TREATMENT: -		
GALVANIZING ACCORDING: EN ISO 1461			STATUS: In Work		
BEND RADIUS UNLESS DEFINED Ri = t					
TOLERANCES UNLESS OTHERWISE SPECIFIED:			REVISION: 0		
GENERAL ROUGHNESS Ra ✓	DIMENSION: ±	ANGLE: ±°	MODEL NUMBER TCA0006		
DESCRIPTION: Container Top CT-A-806					
SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 13-03-2024	APPROVED ON:	
			MODIFIED BY: AVA	APPROVED BY:	
			MASS: 1079,8 kg	Sheet 1 of 5	Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					



DRAWING NAME: TCA0006-BOUWTEK

DRAWING NAME: TCA0006-BOUWTEK



ISO containers
Optional end walls


SCALE 1:200



High-Cube containers
No end walls possible



SCALE 1:200

KROFTMAN®



LASERCUT ACCORDING: EN-ISO 9013-5-4-1			MATERIAL: See List		
MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)			TREATMENT: -		
GALVANIZING ACCORDING: EN ISO 1461			STATUS: In Work		
BEND RADIUS UNLESS DEFINED Ri=t					
TOLERANCES UNLESS OTHERWISE SPECIFIED:					
GENERAL ROUGHNESS Ra ✓	DIMENSION: ±	ANGLE: ±°	MODEL NUMBER TCA0006		REVISION: 0
DESCRIPTION: Container Top CT-A-806					
SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 13-03-2024		APPROVED ON:
			MODIFIED BY: AVA		APPROVED BY:
			MASS: 1079,8 kg		Sheet 2 of 5
					Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					

DRAWING NAME: TCA0006-BOUTTEK

DRAWING NAME: TCA0006-BOUWTEK





SCALE 1:200





SCALE 1:200

	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: -		
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: In Work		
	BEND RADIUS UNLESS DEFINED R _i =t		REVISION: 0		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		MODEL NUMBER TCA0006		
	GENERAL ROUGHNESS Ra	DIMENSION: ±	ANGLE: ±°	DESCRIPTION: Container Top CT-A-806	
SCALE: 1:50		UNITS: mm	PROJECTION:	MODIFIED ON: 13-03-2024	APPROVED ON:
				MODIFIED BY: AVA	APPROVED BY:
				MASS: 1079,8 kg	Sheet 3 of 5
					Size: A2



ISO containers
Optional end walls

SCALE 1:200





High-Cube containers
No end walls possible

SCALE 1:200


	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: -		
	GALVANIZING ACCORDING: EN ISO 1461				
	BEND RADIUS UNLESS DEFINED R _i =t		STATUS: In Work		
	GENERAL ROUGHNESS Ra ✓	DIMENSION: ±	ANGLE: ±°	MODEL NUMBER TCA0006	REVISION: 0
	DESCRIPTION: Container Top CT-A-806				
	SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 13-03-2024 MODIFIED BY: AVA MASS: 1079,8 kg	APPROVED ON: APPROVED BY: Sheet 4 of 5 Size: A2

© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited


DRAWING NAME: TCA0006-BOUWTEK



SCALE 1:200



SCALE 1:200

 KROFTMAN®	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: -		
	GALVANIZING ACCORDING: EN ISO 1461				
	BEND RADIUS UNLESS DEFINED Ri = t		STATUS: In Work		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:				
	GENERAL ROUGHNESS Ra 	DIMENSION: $\pm$	ANGLE: $\pm^\circ$	MODEL NUMBER TCA0006	REVISION: 0
	DESCRIPTION: Container Top CT-A-806				
SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 13-03-2024	APPROVED ON:	
			MODIFIED BY: AVA	APPROVED BY:	
			MASS: 1079,8 kg	Sheet 5 of 5	Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					

DRAWING NAME: TCA006-BOUWTEK

DRAWING NAME: TCA0006-BOUWTEK