







ISO containers
Optional end walls



SCALE 1:200




high-Cube containers
Optional end walls




SCALE 1:200


	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None		
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released		
	BEND RADIUS UNLESS OTHERWISE SPECIFIED: Ri=t		REVISION: 0		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		DESCRIPTION: CT-S-1506 ISO HC		
	GENERAL ROUGHNESS Ra x	DIMENSION: ± x	ANGLE: ± x°	MODEL NUMBER TCA0225	REVISION: 0
	SCALE: 1:50		UNITS mm	PROJECTION: 	MODIFIED ON: 17-02-2025
	MASS: 1370,5 kg		APPROVED ON: 26-03-2025		
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited		MODIFIED BY: AVA		APPROVED BY: BVB	
DRAWING NAME: TCA0225 MODEL VERSION: 0.1		Sheet 1 of 5		Size: A2	




ISO containers
Optional end walls



SCALE 1:200





High-Cube containers
Optional end walls





SCALE 1:200

KROFTMAN®	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None	
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released	
	BEND RADIUS UNLESS DEFINED Ri=t		REVISION: 0	
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		MODEL NUMBER TCA0225	
GENERAL ROUGHNESS Ra x	DIMENSION: ±x	ANGLE: ±x°	DESCRIPTION: CT-S-1506 ISO HC	
SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 17-02-2025	APPROVED ON: 26-03-2025
			MODIFIED BY: AVA	APPROVED BY: BVB
			MASS: 1370,5 kg	Sheet 2 of 5
				Size: A2




SCALE 1:200




SCALE 1:200

KROFTMAN®


LASERCUT ACCORDING: EN-ISO 9013-5-4-1			MATERIAL: See List		
MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)			TREATMENT: None		
GALVANIZING ACCORDING: EN ISO 1461			STATUS: Released		
BEND RADIUS UNLESS DEFINED Ri = t			REVISION: 0		
TOLERANCES UNLESS OTHERWISE SPECIFIED:			MODEL NUMBER TCA0225		
GENERAL ROUGHNESS Ra $\sqrt{\text{ }}$	DIMENSION: $\pm x$	ANGLE: $\pm x^\circ$			
DESCRIPTION: CT-S-1506 ISO HC					
SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 17-02-2025	APPROVED ON: 26-03-2025	
			MODIFIED BY: AVA	APPROVED BY: BVB	
			MASS: 1370,5 kg	Sheet 3 of 5	Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					

DRAWING NAME: TCA0225 MODEL VERSION: 0.1


DRAWING NAME: TCA0225 MODEL VERSION: 0.1




ISO containers
Optional end walls



SCALE 1:200



High-Cube containers
Optional end walls




SCALE 1:200

	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None		
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released		
	BEND RADIUS UNLESS DEFINED Ri=t		REVISION: 0		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		DESCRIPTION: CT-S-1506 ISO HC		
	GENERAL ROUGHNESS Ra x	DIMENSION: ± x	ANGLE: ± x°	MODEL NUMBER TCA0225	
SCALE: 1:50		UNITS mm	PROJECTION: 	MODIFIED ON: 17-02-2025 MODIFIED BY: AVA MASS: 1370,5 kg	APPROVED ON: 26-03-2025 APPROVED BY: BVB Sheet 4 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					


DRAWING NAME: TCA0225 MODEL VERSION: 0.1

ISO containers
Optional end walls




SCALE 1:200

High-Cube containers
Optional end walls



SCALE 1:200



<