









SCALE 1:200




SCALE 1:200

	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None		
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released		
	BEND RADIUS UNLESS DEFINED Ri=t		REVISION: 0		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		DESCRIPTION: CT-A-1506 on 2 levels containers		
	GENERAL ROUGHNESS Ra x	DIMENSION: ± x	ANGLE: ± x°	MODEL NUMBER TCA0263	
SCALE: 1:50		UNITS mm	PROJECTION: 	MODIFIED ON: 15-04-2026 MODIFIED BY: AVA MASS: 1205,2 kg	APPROVED ON: 15-04-2026 APPROVED BY: BVB Sheet 1 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					


DRAWING NAME: TCA0263 MODEL VERSION: 0.5




	LASERCUT ACCORDING: EN-ISO 9013-5-4-1			MATERIAL: See List	
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)				
	GALVANIZING ACCORDING: EN ISO 1461			TREATMENT: None	
	BEND RADIUS UNLESS DEFINED R1 = t				
	TOLERANCES UNLESS OTHERWISE SPECIFIED:			STATUS: Released	
GENERAL ROUGHNESS Ra x 	DIMENSION: ± x	ANGLE: ± °	MODEL NUMBER TCA0263		REVISION: 0
DESCRIPTION: CT-A-1506 on 2 levels containers					
SCALE: 1:50	UNITS: mm	PROJECTION: 	MODIFIED ON: 15-04-2026	APPROVED ON: 15-04-2026	
			MODIFIED BY: AVA	APPROVED BY: BVB	
			MASS: 1205,2 kg	Sheet 2 of 5	Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					




ISO containers
Optional half end wall



SCALE 1:200




HC containers
Optional half end wall





SCALE 1:200



KROFTMAN®

LASERCUT ACCORDING: EN-ISO 9013-5-4-1			MATERIAL: See List		
MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)			TREATMENT: None		
GALVANIZING ACCORDING: EN ISO 1461			STATUS: Released		
BEND RADIUS UNLESS DEFINED Ri = t					
TOLERANCES UNLESS OTHERWISE SPECIFIED:			MODEL NUMBER		
GENERAL ROUGHNESS Ra x	DIMENSION: ± x	ANGLE: ± x°	TCA0263		REVISION: 0
DESCRIPTION: CT-A-1506 on 2 levels containers					
SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 15-04-2026	APPROVED ON: 15-04-2026	
			MODIFIED BY: AVA	APPROVED BY: BVB	
			MASS: 1205,2 kg	Sheet 3 of 5	Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					

DRAWING NAME: TCA0263 MODEL VERSION: 03





SCALE 1:200




SCALE 1:200

	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None		
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released		
	BEND RADIUS UNLESS DEFINED R _i =t		REVISION: 0		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		MODEL NUMBER TCA0263		
GENERAL ROUGHNESS Ra x	DIMENSION: ± x	ANGLE: ± x°	DESCRIPTION: CT-A-1506 on 2 levels containers		
SCALE: 1:50	UNITS: mm	PROJECTION:	MODIFIED ON: 15-04-2026	APPROVED ON: 15-04-2026	
			MODIFIED BY: AVA	APPROVED BY: BVB	
			MASS: 1205,2 kg	Sheet 4 of 5	Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					

DRAWING NAME: TCA0263 MODEL VERSION: 0.5



SCALE 1:200



SCALE 1:200

	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None		
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: Released		
	BEND RADIUS UNLESS DEFINED Ri=t		REVISION: 0		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		DESCRIPTION: CT-A-1506 on 2 levels containers		
	GENERAL ROUGHNESS Ra x	DIMENSION: ± x	ANGLE: ± x°	MODEL NUMBER TCA0263	
	SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 15-04-2026 MODIFIED BY: AVA MASS: 1205,2 kg	APPROVED ON: 15-04-2026 APPROVED BY: BVB Sheet 5 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					

DRAWING NAME: TCA0263 MODEL VERSION: 0.5