



Rev.	Date	Drawn	Description	Remarks
1	28-10-2025	HM	Base rails changed to swage type	


ISO containers
Optional end walls




SCALE 1:200




High-Cube containers
Optional end walls



SCALE 1:200







KROFTMAN®

LASERCUT ACCORDING: EN-ISO 9013-5-4-1			MATERIAL: See List		
MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)			TREATMENT: None		
GALVANIZING ACCORDING: EN ISO 1461			STATUS: Released		
BEND RADIUS UNLESS DEFINED Ri = t					
TOLERANCES UNLESS OTHERWISE SPECIFIED:			REVISION:		
GENERAL ROUGHNESS Ra x ✓	DIMENSION: ±x	ANGLE: ±x°	MODEL NUMBER TCA0269	1	
DESCRIPTION: CT-S-1206 ISO HC					
SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 28-10-2025	APPROVED ON: 28-10-2025	Size: A2
			MODIFIED BY: HME	APPROVED BY: BVB	
			MASS: 212578999059607		
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					


DRAWING NAME: TCA0269 MODEL VERSION: 1.2

DRAWING NAME: TCA0269 MODEL VERSION: 1.2

Rev.	Date	Drawn	Description	Remarks
1	28-10-2025	HM	Base rails changed to swage type	




KROFTMAN®

LASERCUT ACCORDING: EN-ISO 9013-5-4-1			MATERIAL: See List	
MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)			TREATMENT: None	
GALVANIZING ACCORDING: EN ISO 1461			STATUS: Released	
BEND RADIUS UNLESS DEFINED Ri=t			MODEL NUMBER TCA0269	
TOLERANCES UNLESS OTHERWISE SPECIFIED:			REVISION: 1	
GENERAL ROUGHNESS Ra ✓	DIMENSION: ±x	ANGLE: ±x°		
DESCRIPTION: CT-S-1206 ISO HC				
SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 28-10-2025 MODIFIED BY: HME MASS: 212578999059607	APPROVED ON: 28-10-2025 APPROVED BY: BVB Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited				


© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited

DRAWING NAME: TCA0269 MODEL VERSION: 1.2


Rev.	Date	Drawn	Description	Remarks
1	28-10-2025	HM	Base rails changed to swage type	




ISO containers
Optional end walls



SCALE 1:200




High-Cube containers
Optional end walls



SCALE 1:200

KROFTMAN®


LASERCUT ACCORDING: EN-ISO 9013-5-4-1			MATERIAL: See List	
MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)			TREATMENT: None	
GALVANIZING ACCORDING: EN ISO 1461			STATUS: Released	
BEND RADIUS UNLESS DEFINED Ri = t			REVISION: 1	
TOLERANCES UNLESS OTHERWISE SPECIFIED:			MODEL NUMBER TCA0269	
GENERAL ROUGHNESS Ra ✓	DIMENSION: ± x	ANGLE: ± x°	DESCRIPTION: CT-S-1206 ISO HC	
SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 28-10-2025 MODIFIED BY: HME MASS: 212578999059607 42761160 kg	APPROVED ON: 28-10-2025 APPROVED BY: BVB Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited				

DRAWING NAME: TCA0269 MODEL VERSION: 1.2

DRAWING NAME: TCA0269 MODEL VERSION: 1.2


Rev.	Date	Drawn	Description	Remarks
1	28-10-2025	HM	Base rails changed to swage type	

ISO containers
Optional end walls




SCALE 1:200


High-Cube containers
Optional end walls



SCALE 1:200



KROFTMAN®

LASERCUT ACCORDING: EN-ISO 9013-5-4-1			MATERIAL: See List	
MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)			TREATMENT: None	
GALVANIZING ACCORDING: EN ISO 1461			STATUS: Released	
BEND RADIUS UNLESS DEFINED Ri = t				
TOLERANCES UNLESS OTHERWISE SPECIFIED:			MODEL NUMBER	
GENERAL ROUGHNESS Ra $\sqrt{\text{ }}$	DIMENSION: $\pm x$	ANGLE: $\pm x^\circ$	TCA0269	REVISION: 1
DESCRIPTION: CT-S-1206 ISO HC				
SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 28-10-2025	APPROVED ON: 28-10-2025
			MODIFIED BY: HME	APPROVED BY: BVB
			MASS: 212578999059607 212578999059607 kg	Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited				

DRAWING NAME: TCA0269 MODEL VERSION: 1.2

DRAWING NAME: TCA0269 MODEL VERSION: 1.2