









Rev.	Date	Drawn	Description	Remarks
1	04-03-2026	HM	Main frame now with swages, repaced part cover by assy	



KROFTMAN®	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None		
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: In Work		
	BEND RADIUS UNLESS DEFINED Ri=t		REVISION: 1		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		DESCRIPTION: CT-A-1006 ISO HC		
GENERAL ROUGHNESS Ra x ✓	DIMENSION: ±x	ANGLE: ±x°	MODEL NUMBER TCA0301	APPROVED ON:	
SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 04-03-2026	APPROVED BY:	
			MODIFIED BY: HME	Sheet 1 of 5	
			MASS: 1791,1 kg	Size: A2	

© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited

DRAWING NAME: TCA0301 MODEL VERSION: 1.2




SCALE 1:200





SCALE 1:200

KROFTMAN®



LASERCUT ACCORDING: EN-ISO 9013-5-4-1			MATERIAL: See List		
MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)			TREATMENT: None		
GALVANIZING ACCORDING: EN ISO 1461					
BEND RADIUS UNLESS DEFINED Ri = t			STATUS: In Work		
GENERAL ROUGHNESS Ra x ✓	DIMENSION: ± x	ANGLE: ± x°	MODEL NUMBER TCA0301		REVISION: 1
DESCRIPTION: CT-A-1006 ISO HC					
SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 04-03-2026		APPROVED ON:
			MODIFIED BY: HME		APPROVED BY:
			MASS: 1791,1 kg		Sheet 2 of 5
					Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					

DRAWING NAME: TCA0301 MODEL VERSION: 1.2

DRAWING NAME: TCA0301 MODEL VERSION: 1.2







SCALE 1:200




SCALE 1:200


</

DRAWING NAME: TCA0301 MODEL VERSION: 1.2




 KROFTMAN®	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List			
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None			
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: In Work			
	BEND RADIUS UNLESS DEFINED Ri=t					
	TOLERANCES UNLESS OTHERWISE SPECIFIED:			MODEL NUMBER		REVISION:
	GENERAL ROUGHNESS Ra x √	DIMENSION: ±x	ANGLE: ±x°	TCA0301	1	
DESCRIPTION:						
CT-A-1006 ISO_HC						
SCALE: 1:50	UNITS mm	PROJECTION: 	MODIFIED ON: 04-03-2026	APPROVED ON:		
			MODIFIED BY: HME	APPROVED BY:		
			MASS: 1791,1 kg	Sheet 4 of 5	Size: A2	
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited						

DRAWING NAME: TCA0301 MODEL VERSION: 1.2




ISO containers
Optional end walls



SCALE 1:200

High-Cube containers
Optional end walls



SCALE 1:200

	LASERCUT ACCORDING: EN-ISO 9013-5-4-1		MATERIAL: See List		
	MATERIAL CERTIFICATE: 3.1 (OR 2.2 WHEN S235JR)		TREATMENT: None		
	GALVANIZING ACCORDING: EN ISO 1461		STATUS: In Work		
	BEND RADIUS UNLESS DEFINED Ri=t		REVISION: 1		
	TOLERANCES UNLESS OTHERWISE SPECIFIED:		DESCRIPTION: CT-A-1006 ISO HC		
	GENERAL ROUGHNESS Ra x	DIMENSION: ± x	ANGLE: ± x°	MODEL NUMBER TCA0301	
SCALE: 1:50		UNITS mm	PROJECTION: 	MODIFIED ON: 04-03-2026 MODIFIED BY: HME MASS: 1791,1 kg	APPROVED ON: APPROVED BY: Sheet 5 of 5 Size: A2
© KROFTMAN STRUCTURES B.V. Duplication and copying without written permission of the owner is prohibited					